

Cronfa - Swansea University Open Access Repository

This is an author produced version of a paper published in :
International Journal of Surgery

Cronfa URL for this paper:
<http://cronfa.swan.ac.uk/Record/cronfa29537>

Paper:

Thomas, D. (2016). Could 3D bioprinted tissues offer future hope for microtia treatment?. *International Journal of Surgery*, 32, 43-44.

<http://dx.doi.org/10.1016/j.ijssu.2016.06.036>

This article is brought to you by Swansea University. Any person downloading material is agreeing to abide by the terms of the repository licence. Authors are personally responsible for adhering to publisher restrictions or conditions. When uploading content they are required to comply with their publisher agreement and the SHERPA RoMEO database to judge whether or not it is copyright safe to add this version of the paper to this repository.

<http://www.swansea.ac.uk/iss/researchsupport/cronfa-support/>

Accepted Manuscript

Could 3D Bioprinted tissues offer future hope for Microtia treatment?

Daniel J. Thomas

PII: S1743-9191(16)30195-9

DOI: [10.1016/j.ijisu.2016.06.036](https://doi.org/10.1016/j.ijisu.2016.06.036)

Reference: IJSU 2876

To appear in: *International Journal of Surgery*

Received Date: 12 June 2016

Accepted Date: 18 June 2016

Please cite this article as: Thomas DJ, Could 3D Bioprinted tissues offer future hope for Microtia treatment?, *International Journal of Surgery* (2016), doi: 10.1016/j.ijisu.2016.06.036.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Microtia is a congenital deformity where the pinna is underdeveloped. Contraindications to rib surgery for microtia reconstruction include high-risk surgical status and chest-wall deformities [1-2]. However does stem-cell-based 3D Bioprinting offer revolutionary therapeutic options for patients with such tissue abnormalities. As a technology, 3D-bioprinting is being developed to generate homogeneous tissues by depositing a low viscosity printable cellular-active gel which matures into a tissue [3]. Currently on-going research is developing the process towards producing cartilage tissues for use in reconstructive surgery. This process focuses on using the natural self-organising properties of cells in order to produce a functional tissue which has measurable: mechanical, metabolic and functional properties. By harnessing methods as shown in (Figure 1) this could provide a means towards effectively produce the simplified cartilage structures.




Figure 1. 3D-Bioprinting process in which a biologically active (bioink) is deposited into the shape of an ear structure. (A) *human* mesenchymal stem cells (hMSC) are collected from a patient, put into a growth medium and cultured into many millions of cells. (B) After a period of time in culture, these cells are added to a low viscosity hydrogel suspension consisting of gelatin and alginate. (C) Software control is used to position a high precision extruder in 3D. (D) This deposits the bioink in layers to form a cross linkable structure. (E) hMSCs post bioprinting show appropriate properties for initiating cartilage formation.

Following the 3D Bioprinting process, these biofabricated structures are transferred to an incubator, which allows maturation to take place. This final process is critical towards the formation of structural and biochemical extra-cellular matrix during tissue maturation.

Early demonstrator research shows the promising potential of such advanced bio-manufacturing processes. It is hoped that in the long-term research will develop 3D bioprinting as a process that can be used to produce multiple tissue types used in operative scenarios. This next stage in the development of this process could one day transform the field of reconstructive medicine. Subsequently, this may lead to direct bio-engineering replacement human tissues on-demand for transplantation.

References

[1] Han S, Oh K.S. Satisfactory surgical option for cartilage graft absorption in microtia reconstruction. *Journal of Cranio-Maxillofacial Surgery*. Volume 44, Issue 4, April 2016, Pages 471–478

[3] Vivian K. Lee, Diana Y. Kim, Haygan Ngo, Young Lee, Lan Seo, Seung-Schik Yoo, Peter A. Vincent, Guohao Dai. Creating perfused functional vascular channels using 3D bio-printing technology. Trends in Biotechnology. Volume 35, Issue 28, September 2014, Pages 8092–8102

ACCEPTED MANUSCRIPT

